


Montageanleitung Mounting instructions Instructions de montage




EKU PORTA® 100 G | GU | GM | GF

Anforderungen erfüllt nach


DIN-EN 1527 - 6 2 0 - 0 - 1 3




mod. G




mod. GU



mod. GM



mod. GF



Garnituren/sets/garnitures


1 Türe door porte	No. 057.3074.071					
	2x	2x	2x	1x	1x	1x

Zubehör/Accessories/Accessoires

Combi-Laufschiene Alu, gelocht

Combi running track alu, pre-drilled
Rail de roulement de combinaison

Gr./Size	Art.No./Code
1700 mm	057.3048.170
2000 mm	057.3048.200
2500 mm	057.3048.250
6000 mm	057.3048.600*



Laufschiene Festglas Alu, gelocht

Running track fixed glass alu, pre-drilled
Rail de roulement vitre fixe en alu, perforé


Gr./Size	Art.No./Code
2000 mm	057.3053.200
2500 mm	057.3053.250
3500 mm	057.3053.350
6000 mm	057.3053.600*



Laufschiene Alu, gelocht

Running track alu, pre-drilled
Rail de roulement en alu, perforé


Gr./Size	Art.No./Code
1700 mm	057.3016.170
2000 mm	057.3016.200
2500 mm	057.3016.250
6000 mm	057.3016.600*



U-Führungsschiene Alu, eloxiert, gelocht

U-shaped guide track alu, anodized, pre-drilled
Rail de guidage en U en alu, anodisé, perforé

Gr./Size	Art.No./Code
2500 mm	057.3056.250
3500 mm	057.3056.350
6000 mm	057.3056.600*



Festglashalteprofil Alu, eloxiert, gelocht

Fixed glass support profile alu, anodized, pre-drilled
Profil de retenue de porte-vitre fixe en alu, anodisé, perforé


Gr./Size	Art.No./Code
2500 mm	057.3057.250
3500 mm	057.3057.350
6000 mm	057.3057.600*



Clip-Blende zu Laufschiene Alu, eloxiert

Clip fascia for running track alu, anodized
Cache à clipser pour rail de roulement en alu, anodisé


Gr./Size	Art.No./Code
2500 mm	057.3050.250
3500 mm	057.3050.350
6000 mm	057.3050.600*



Blendenendstück-Set Alu, eloxiert, einseitig, Wandmontage

Fascia end component set alu, anodized, one-sided, wall mounting
Jeu d'extrémités de cache en alu, anodisé, un côté, montage mural


Gr./Size	Art.No./Code
64.0 mm	057.3052.072
44.5 mm	057.3052.074



Blendenendstück-Set Alu, eloxiert, einseitig, Deckenmontage

Fascia end component set aluminium, anodized, one-sided, ceiling mounting
Jeu d'extrémités de cache en alu, anodisé, un côté, montage au plafond


Gr./Size	Art.No./Code
70.0 mm	057.3052.073
49.0 mm	057.3052.071



Clip-Blende zu Klemmschuh Alu, eloxiert

Clip fascia for clamp shoe alu, anodized
Cache à clipser pour mâchoire de serrage en alu, anodisé

Gr./Size	Art.No./Code
2000 mm	057.3039.200
6000 mm	057.3039.600*



Design-Blende Alu, eloxiert, zu Combi-Laufschiene

Clip fascia alu, anodized for combi running track
Cache de design en alu, anodisé, pour rail de roulement de combinaison


Gr./Size	Art.No./Code
2500 mm	057.3070.250
3500 mm	057.3070.350
6000 mm	057.3070.600*



Clipteil für Holzblende Alu, gelocht

Clip component for wooden fascia alu, pre-drilled
Clip en alu pour cache en bois, perforé


Gr./Size	Art.No./Code
1 x	057.3063.002





Sichtschutzdichtung, Kunststoff schwarz, in Rollen

Screening seal, plastic black, in coils
Joint pare-vue, plastique noir, en rouleaux

Gr./Size	Art.No./Code
20 m	057.3078.002







Endkappen-Set zu Blenden, Kunststoff anthrazit

End cap set for fascias, plastic anthracite
Jeu d'embouts pour caches, plastique anthracite

057.3061.071

A = 1x
B/C = 1x






Endkappen-Set zu Blenden, Kunststoff anthrazit






End cap set for fascias, plastic anthracite
Jeu d'embouts pour caches, plastique anthracite

057.3061.072


B/C = 1x





Siehe Montageanleitung
See mounting instructions
Voir instructions de montage
No. 788.2000.221




Schienenreiniger
Track cleaner
Nettoyant pour rails




F




1



2







3



Glasdicke 10-12.7mm


4






057.3039









I












J







K




L



M





Einbauvariante mit Holzblende

Mounting versions with wooden fascia / Variantes de montage avec cache en bois

