

DISPLAY FIXINGS & SIGNAGE STANDOFFS FOR GLASS



Ideal for signage, displays and desk tops. These standoffs are high-tech in both design and appearance and provide the user with unlimited design potential for retail displays, exhibit galleries and restaurant applications.

1/2" (12 mm) STANDOFF BASES AND CAPS


Standard Bases – non-threaded

Height	Finish	Material	No.
1/2" (12 mm)	Brushed Stainless	Stainless Steel: 316	SB050050170
1/2" (12 mm)	Polished Chrome	Stainless Steel: 303	SB050050140
3/4" (19 mm)	Brushed Stainless	Stainless Steel: 316	SB050075170
1" (25 mm)	Brushed Stainless	Stainless Steel: 316	SB050100170



Standard Caps – 10-24 thread

Finish	Material	No.
Brushed Stainless	Stainless Steel: 316	SC050025170
Polished Chrome	Stainless Steel: 303	SC050025140



Gives a bright and modern architectural finish.

3/4" (19 mm) STANDOFF BASES AND CAPS

Standard Bases – 1/4" - 20 thread

Height	Finish	Material	No.
1/2" (12 mm)	Brushed Stainless	Stainless Steel: 316	SB075050170
3/4" (19 mm)	Brushed Stainless	Stainless Steel: 316	SB075075170
3/4" (19 mm)	Polished Chrome	Solid Brass	SB075075140
3/4" (19 mm)	Satin Chrome	Solid Brass	SB075075145
1" (25 mm)	Brushed Stainless	Stainless Steel: 316	SB075100170
1" (25 mm)	Polished Chrome	Solid Brass	SB075100140
1" (25 mm)	Satin Chrome	Solid Brass	SB075100145
1-1/2" (38 mm)	Brushed Stainless	Stainless Steel: 316	SB075150170
1-1/2" (38 mm)	Polished Chrome	Solid Brass	SB075150140
2" (50 mm)	Brushed Stainless	Stainless Steel: 316	SB075200170
4" (102 mm)	Brushed Stainless	Stainless Steel: 316	SB075400170



Standard Caps – 1/4" - 20 thread

Finish	Material	No.
Brushed Stainless	Stainless Steel: 316	SC075013170
Polished Chrome	Solid Brass	SC075013140
Satin Chrome	Solid Brass	SC075013145



Low Profile Caps – 1/4" - 20 thread

Finish	Material	No.
Brushed Stainless	Stainless Steel: 316	SCL075013170



DISPLAY FIXINGS & SIGNAGE STANDOFFS FOR GLASS

1" (25 mm) STANDOFF BASES AND CAPS

Standard Bases – 1/4" - 20 thread

Height	Finish	Material	No.
1/4" (6 mm)	Brushed Stainless	Stainless Steel: 316	SB100025170
1/2" (12 mm)	Brushed Stainless	Stainless Steel: 316	SB100050170
3/4" (19 mm)	Brushed Stainless	Stainless Steel: 316	SB100075170
1" (25 mm)	Brushed Stainless	Stainless Steel: 316	SB100100170



Standard Caps – 1/4" - 20 thread

Finish	Material	No.
Brushed Stainless	Stainless Steel: 316	SC100025170



1-1/4" (32 mm) STANDOFF BASES AND CAPS

Standard Bases – 5/16" - 18 thread

Height	Finish	Material	No.
1/4" (6 mm)	Brushed Stainless	Stainless Steel: 316	SB125025170
1/2" (12 mm)	Brushed Stainless	Stainless Steel: 316	SB125050170
1/2" (12 mm)	Polished Chrome	Solid Brass	SB125050140
3/4" (19 mm)	Brushed Stainless	Stainless Steel: 316	SB125075170
1" (25 mm)	Brushed Stainless	Stainless Steel: 316	SB125100170
1" (25 mm)	Polished Chrome	Solid Brass	SB125100140
1" (25 mm)	Satin Chrome	Solid Brass	SB125100145
1-1/2" (38 mm)	Brushed Stainless	Stainless Steel: 316	SB125150170
1-1/2" (38 mm)	Polished Chrome	Solid Brass	SB125150140
1-1/2" (38 mm)	Satin Chrome	Solid Brass	SB125150145
2" (50 mm)	Brushed Stainless	Stainless Steel: 316	SB125200170
2" (50 mm)	Polished Chrome	Solid Brass	SB125200140
3" (76 mm)	Brushed Stainless	Stainless Steel: 316	SB125300170
4" (102 mm)	Brushed Stainless	Stainless Steel: 316	SB125400170
6" (152 mm)	Brushed Stainless	Stainless Steel: 316	SB125600170
8" (203 mm)	Brushed Stainless	Stainless Steel: 316	SB125800170



Standard Caps – 5/16" - 18 thread

Finish	Material	No.
Brushed Stainless	Stainless Steel: 316	SC125025170
Polished Chrome	Solid Brass	SC125025140
Satin Chrome	Solid Brass	SC125025145



Low Profile Caps – 1/4" - 20 thread

Finish	Material	No.
Brushed Stainless	Stainless Steel: 316	SCL125013170
Polished Chrome	Solid Brass	SCL125013140

Flush Mount Caps – 1/4" - 20 thread

Finish	Material	No.
Brushed Stainless	Stainless Steel: 303	SCC125038170



1-1/2" (38 mm) STANDOFF BASES AND CAPS

Standard Bases – 3/8" - 16 thread

Height	Finish	Material	No.
1/2" (12 mm)	Brushed Stainless	Stainless Steel: 316	SB150050170
3/4" (19 mm)	Brushed Stainless	Stainless Steel: 316	SB150075170
1" (25 mm)	Brushed Stainless	Stainless Steel: 316	SB150100170
1-1/2" (38 mm)	Brushed Stainless	Stainless Steel: 316	SB150150170
2" (50 mm)	Brushed Stainless	Stainless Steel: 316	SB150200170
4" (102 mm)	Brushed Stainless	Stainless Steel: 316	SB150400170



Standard Caps – 3/8" - 16 thread

Finish	Material	No.
Brushed Stainless	Stainless Steel: 316	SC150038170



1-3/4" (32 mm) STANDOFF BASES AND CAPS

Standard Bases – 5/16" - 18 thread

Height	Finish	Material	No.
1/2" (12 mm)	Brushed Stainless	Stainless Steel: 316	SB175050170
3/4" (19 mm)	Brushed Stainless	Stainless Steel: 316	SB175075170
1" (25 mm)	Brushed Stainless	Stainless Steel: 316	SB175100170
1-1/2" (38 mm)	Brushed Stainless	Stainless Steel: 316	SB175150170
2" (50 mm)	Brushed Stainless	Stainless Steel: 316	SB175200170



Standard Caps – 5/16" - 18 thread

Finish	Material	No.
Brushed Stainless	Stainless Steel: 316	SC175025170



DISPLAY FIXINGS & SIGNAGE STANDOFFS FOR GLASS

2" (50 mm) STANDOFF BASES AND CAPS

Standard Bases – 3/8" - 16 thread

Height	Finish	Material	No.
1/4" (6 mm)	Brushed Stainless	Stainless Steel: 316	SB200025170
1/2" (12 mm)	Brushed Stainless	Stainless Steel: 316	SB200050170
1/2" (12 mm)	Polished Stainless	Stainless Steel: 316	SB200050171
3/4" (19 mm)	Brushed Stainless	Stainless Steel: 316	SB200075170
3/4" (19 mm)	Polished Stainless	Stainless Steel: 316	SB200075171
1" (25 mm)	Brushed Stainless	Stainless Steel: 316	SB200100170
1" (25 mm)	Polished Stainless	Stainless Steel: 316	SB200100171
1-1/4" (32 mm)	Brushed Stainless	Stainless Steel: 316	SB200125170
1-1/2" (38 mm)	Brushed Stainless	Stainless Steel: 316	SB200150170
1-1/2" (38 mm)	Polished Stainless	Stainless Steel: 316	SB200150171
1-3/4" (44 mm)	Brushed Stainless	Stainless Steel: 316	SB200175170
2" (50 mm)	Brushed Stainless	Stainless Steel: 316	SB200200170
2" (50 mm)	Polished Stainless	Stainless Steel: 316	SB200200171
2-1/2" (63 mm)	Brushed Stainless	Stainless Steel: 316	SB200250170
3" (76 mm)	Brushed Stainless	Stainless Steel: 316	SB200300170
4" (102 mm)	Brushed Stainless	Stainless Steel: 316	SB200400170

Standard Bases – 1/2" - 13 thread

Height	Finish	Material	No.
1/2" (12 mm)	Brushed Stainless	Stainless Steel: 316	SBA200050170
3/4" (19 mm)	Brushed Stainless	Stainless Steel: 316	SBA200075170
1" (25 mm)	Brushed Stainless	Stainless Steel: 316	SBA200100170
1-1/2" (38 mm)	Brushed Stainless	Stainless Steel: 316	SBA200150170
2" (50 mm)	Brushed Stainless	Stainless Steel: 316	SBA200200170
2-1/2" (63 mm)	Brushed Stainless	Stainless Steel: 316	SBA200250170
3" (76 mm)	Brushed Stainless	Stainless Steel: 316	SBA200300170
4" (102 mm)	Brushed Stainless	Stainless Steel: 316	SBA200400170

Standard Caps – 3/8" - 16 thread

Finish	Material	No.
Brushed Stainless	Stainless Steel: 316	SC200025170
Polished Stainless	Stainless Steel: 316	SC200025171

Low Profile Caps – 3/8" - 16 thread

Finish	Material	No.
Brushed Stainless	Stainless Steel: 316	SCL200013170

Bevelled Caps – 3/8" - 16 thread

Finish	Material	No.
Brushed Stainless	Stainless Steel: 316	SCB200038170



Standard Caps – 1/2" - 13 thread

Finish	Material	No.
Brushed Stainless	Stainless Steel: 316	SCA200025170



2" (50 mm) BULK STANDOFF BASES AND CAPS

Standard Bases – 3/8" - 16 thread

Height	Finish	Material	Qty.	No.
1" (25 mm)	Brushed Stainless	Stainless Steel: 201	20	SOB200100170
1" (25 mm)	Brushed Black Stainless	Stainless Steel: 316	20	SOB200100169
1-1/2" (38 mm)	Brushed Stainless	Stainless Steel: 201	10	SOB200150170
1-1/2" (38 mm)	Brushed Black Stainless	Stainless Steel: 316	10	SOB200150169
2" (50 mm)	Brushed Stainless	Stainless Steel: 201	10	SOB200200170
2" (50 mm)	Brushed Black Stainless	Stainless Steel: 316	10	SOB200200169

Standard Caps – 3/8" - 16 thread

Finish	Material	Qty.	No.
Brushed Stainless	Stainless Steel: 201	20	SOC200025170
Brushed Black Stainless	Stainless Steel: 316	20	SOC200025169



DISPLAY FIXINGS & SIGNAGE STANDOFFS FOR GLASS



STANDOFF SETS

Standoff Sets for 5-8 mm (3/16"-5/16") glass – Set of 4

Height	Diameter	Thread	Finish	Material	No.
3/4" (19 mm)	3/4" (19 mm)	1/4" - 20	Brushed Nickel	Steel	BP31319175
1-1/2" (38 mm)	3/4" (19 mm)	1/4" - 20	Brushed Nickel	Steel	BP31338175

Standoff Sets for 8-12 mm (5/16"-1/2") glass – Set of 4

Height	Diameter	Thread	Finish	Material	No.
3/4" (19 mm)	1-3/14" (30 mm)	1/4" - 20	Polished Chrome	Steel	BP31319140
1-1/2" (38 mm)	1-3/14" (30 mm)	1/4" - 20	Polished Chrome	Steel	BP31338140

Adjustable Standoff Sets for 12-15 mm (1/2"-19/32") glass – Sold Individually

Height	Diameter	Thread	Finish	Material	No.
1-9/16"-2" (40-50 mm)	2" (50 mm)	3/8" - 16	Brushed Stainless	Stainless Steel: 316	SS200ADJ170



REPLACEMENT WASHERS

Flat Washers

Standoff Diameter	Finish	Material	No.
3/4" (19 mm)	Translucent	Flexible Vinyl	GMSO34WASHER3
1-1/4" (32 mm)	Translucent	Flexible Vinyl	GMSO114WASHER3
1-1/2" (38 mm)	White	PVC	GMSO112WASHER3
1-3/4" (44 mm)	White	PVC	GMSO134WASHER
2" (50 mm) 3/8"-16 thread	Translucent	Flexible Vinyl	GMSO2WASHER3
2" (50 mm) 1/2"-13 thread	Translucent	Flexible Vinyl	GMSO2WASHER4

Collared Washers

Standoff Diameter	Finish	Material	No.
3/4" (19 mm)	Translucent	Flexible Vinyl	GMSO34WASHER2
1-1/4" (32 mm)	Translucent	Flexible Vinyl	GMSO114WASHER2



STANDOFF CAP WRENCHES

Standoff Cap Diameter	Material	No.
3/4" - 1-1/4" (19 - 32 mm)	Zinc	GMSOT1
1-1/2" - 2" (38 - 50 mm)	Steel	GMSOT2



GMSOT2 also features 4 mm and 5 mm Allen keys

UV STANDOFF ADAPTOR PLATE

Diameter	Thread	Finish	Material	No.
1-1/4" (32 mm)	5/16" - 18	Brushed Stainless	Stainless Steel: 316	UVUV114ADP
2" (50 mm)	3/8" - 16	Brushed Stainless	Stainless Steel: 316	UVUV2ADP

Threaded UV adaptors allow you to install products without having to drill holes.



DISPLAY FIXINGS & SIGNAGE STANDOFFS FOR GLASS



SLOT-MOUNTED STANDOFFS

1-1/4" (32mm) Standoffs

Glass Thickness	Height	Finish	Material	No.
1/4" (6 mm)	1-5/8" (41.3 mm)	Brushed Stainless	Stainless Steel	BPBR1006170
1/4" (6 mm)	1-5/8" (41.3 mm)	Polished Chrome	Solid Brass	BPBR1006140
1/4" (6 mm)	1-5/8" (41.3 mm)	Satin Chrome	Solid Brass	BPBR1006145
3/8" (10 mm)	1-5/8" (41.3 mm)	Brushed Stainless	Stainless Steel	BPBR1010170
3/8" (10 mm)	1-5/8" (41.3 mm)	Polished Chrome	Solid Brass	BPBR1010140
3/8" (10 mm)	1-5/8" (41.3 mm)	Satin Chrome	Solid Brass	BPBR1010145
1/2" (12 mm)	1-5/8" (41.3 mm)	Brushed Stainless	Stainless Steel	BPBR1012170
1/2" (12 mm)	1-5/8" (41.3 mm)	Polished Chrome	Solid Brass	BPBR1012140
1/2" (12 mm)	1-5/8" (41.3 mm)	Satin Chrome	Solid Brass	BPBR1012145



Ideal for signage, displays, partitions, shelves and presentations.

SIDE-GRIP WALL MOUNT STANDOFFS

Brackets for 5-8 mm (3/16"-5/16") glass

Diameter	Height	Finish	Material	No.
1-3/16" (30 mm)	3/4" (19 mm)	Polished Chrome	Stainless Steel	BP313119140
1-3/16" (30 mm)	1" (25 mm)	Brushed Nickel	Solid Brass	BP313125195
1-3/16" (30 mm)	1" (25 mm)	Polished Chrome	Solid Brass	BP313125140
1-3/16" (30 mm)	1-1/2" (38 mm)	Polished Chrome	Stainless Steel	BP313138140



Brackets for 10-12 mm (3/8"-1/2") glass

Diameter	Height	Finish	Material	No.
1-3/16" (30 mm)	1" (25 mm)	Brushed Nickel	Stainless Steel	BP313225195
1-3/16" (30 mm)	1" (25 mm)	Polished Chrome	Solid Brass	BP313225140

Long edge grip gives the look and presentation of a standoff post without the fabrication costs.

Brackets for 4-6 mm (5/32"-1/4") glass

Diameter	Height	Finish	Material	No.
1-3/16" (30 mm)	1" (25 mm)	Brushed Stainless	Stainless Steel	93040170
1-3/16" (30 mm)	1" (25 mm)	Polished Chrome	Solid Brass	93040140



Ideal for bevelled mirrors, stained glass art pieces, glass, acrylic or wood panels.



HARDWARE FOR GLASS STANDOFFS



SET SCREWS IN STAINLESS STEEL: 304

1/4" - 20 thread

Length	No.
3/4" (19 mm)	GMSOAS142034
1" (25 mm)	GMSOAS14201
1-1/2" (38 mm)	GMSOAS1420112

5/16" - 18 thread

Length	No.
3/4" (19 mm)	GMSOAS51634
1" (25 mm)	GMSOAS5161
1-1/4" (32 mm)	GMSOAS516114
1-1/2" (38 mm)	GMSOAS516112
2" (50 mm)	GMSOAS5162
2-1/2" (63 mm)	GMSOAS516212
3" (76 mm)	GMSOAS5163

3/8" - 16 thread

Length	No.
1" (25 mm)	GMSOAS381
1-1/4" (32 mm)	GMSOAS38114
1-1/2" (38 mm)	GMSOAS38112
2" (50 mm)	GMSOAS382
2-1/2" (63 mm)	GMSOAS38212
3" (76 mm)	GMSOAS383

1/2" - 12 thread

Length	No.
1-1/2" (38 mm)	GMSOAS12112
2" (50 mm)	GMSOAS122



HANGER BOLTS IN STAINLESS STEEL: 304

1/4" - 20 thread

Length	No.
1-1/2" (38 mm)	SHBS1420T150



5/16" - 18 thread

Length	No.
1-1/2" (38 mm)	SHBS51618T150
2-1/2" (63 mm)	SHBS51618T250

3/8" - 16 thread

Length	No.
2-1/2" (63 mm)	HS38212PRVP**
3" (76 mm)	HS383PRVP**
3-1/2" (89 mm)	HS38312PRVP**
4" (102 mm)	HS384PRVP**
5" (127 mm)	HS385PRVP**
6" (152 mm)	HS386PRVP**
8" (203 mm)	SHBS3816T800

1/2" - 12 thread

Length	No.
3-1/2" (89 mm)	SHBS1213T350
4" (102 mm)	SHBS1213T400
5" (127 mm)	SHBS1213T500
6" (152 mm)	SHBS1213T600
8" (203 mm)	SHBS1213T800

**Sold in boxes of 25 units

HANGER BOLTS IN ZINC

1/4" - 20 thread

Length	No.
1-1/2" (38 mm)	SHBZ1420T150
2" (50 mm)	SHBZ1420T200
2-1/2" (63 mm)	SHBZ1420T250



5/16" - 18 thread

Length	No.
1-1/2" (38 mm)	SHBZ51618T150
3" (76 mm)	SHBZ51618T300

10 - 24 thread

Length	No.
1-1/2" (38 mm)	SHBZ1024T150
2-1/2" (63 mm)	SHBZ1024T250

3/8" - 16 thread

Length	No.
2-1/2" (63 mm)	SHBZ3816T250
3" (76 mm)	SHBZ3816T300
3-1/2" (89 mm)	SHBZ3816T350
5" (127 mm)	SHBZ3816T500
5-1/2" (140 mm)	SHBZ3816T550
6" (152 mm)	SHBZ3816T600
8" (203 mm)	SHBZ3816T800

1/2" - 12 thread

Length	No.
3" (76 mm)	SHBZ1213T300
4" (102 mm)	SHBZ1213T400
5" (127 mm)	SHBZ1213T500
6" (152 mm)	SHBZ1213T600
8" (203 mm)	SHBZ1213T800

THREADED RODS

1/4" - 20 thread

Length	Material	No.
12" (305 mm)	Zinc	TRZ1412
36" (914 mm)	Brass	TRB1436
36" (914 mm)	Steel	TRP14
36" (914 mm)	Stainless Steel	TRS14
36" (914 mm)	Zinc	TRZ14

10 - 24 thread

Length	Material	No.
36" (914 mm)	Brass	TRB102436
36" (914 mm)	Steel	TRP1024
36" (914 mm)	Zinc	TRZ1024

5/16" - 18 thread

Length	Material	No.
12" (305 mm)	Zinc	TRZ51612
36" (914 mm)	Steel	TRP516
36" (914 mm)	Stainless Steel	STRS51618T36
36" (914 mm)	Zinc	STRZ51618T36

1/2" - 13 thread

Length	Material	No.
12" (305 mm)	Zinc	TRZ1212
36" (914 mm)	Steel	TRP12
36" (914 mm)	Galvanized Steel	TRHDG12
36" (914 mm)	Zinc	TRZ12

3/8" - 16 thread

Length	Material	No.
12" (305 mm)	Zinc	TRZ3812
36" (914 mm)	Steel	TRP38
36" (914 mm)	Galvanized Steel	TRHDG38
36" (914 mm)	Stainless Steel	STRS3816T36
36" (914 mm)	Zinc	STRZ3816T36

